


KB Series Legend Packet



Contents

Customer Request Form	KB2
Cap Types and Combinations.....	KB3
Legend Orientation	KB4
Font Styles.....	KB5
Helvetica Light Font Table.....	KB6
Helvetica Regular Font Table	KB7
Helvetica Bold Font Table	KB8
Helvetica Black Font Table	KB9
Maximum Printable Areas	KB10

The primary purpose of this Legend Packet is to let our customers know that NKK Switches provides full support regarding your legending requirements. The packet is designed to provide information to make your legending choices easy and concise, and to let you know that our availability can range from answering a few questions to guiding you through the entire process. Feel free to acquaint yourself with the following pages specific to your applications, then contact us and let us know how we may be of further assistance. We look forward to serving all your legending needs.

KB Series Legend Instructions

1 Customer Information Today's Date _____

Company Name _____ Phone () _____

Address _____ Fax () _____

City _____ State _____ Zip Code _____

Contact Person _____ Email _____

Important! Please complete one Request Form for each legend requested.

2 Switch

Switch Part Number _____ Quantity Requested _____

Cap Part Number _____

Refer to Legend Packet page KB3 if you need assistance.

3 Surface

Lens
 Film Insert
 Other (contact factory) _____

See Legend Packet page KB3 if you need more information on printable surfaces.

4 Font Style and Size

Helvetica Light
 Helvetica Regular
 Helvetica Bold
 Helvetica Black
 Other Font Style (contact factory)

Font Size: _____ point

Refer to Legend Packet pages KB5 through KB9 to determine your font style and point size.

5 Characters

<p>1 line</p> <div style="border: 1px solid black; padding: 5px; display: inline-block;">START</div> <p>_____</p> <p>Your Legend Text Here</p> <p>Sample</p>	<p>2 lines</p> <div style="border: 1px solid black; padding: 5px; display: inline-block; text-align: center;">ON OFF</div> <p>_____</p> <p>Your Legend Text Here</p> <p>Sample</p>	<p>3 lines Not Recommended</p> <div style="border: 1px solid black; padding: 5px; display: inline-block; text-align: center;">AC FAN ONLY</div> <p>_____</p> <p>Your Legend Text Here</p> <p>Sample</p>
--	--	---

Minimum distance between characters is critical to legibility and cannot be less than .015".

Refer to Legend Packet page KB10 to determine your maximum printable area. Legend Packet pages KB5 through KB9 provide character widths and heights. Note: All legends will be centered unless otherwise indicated.

6 *Please make your selections below by checking one box in each row.*


Legend Color
 Black
 White
 Other (contact factory)

Printing Method
 Screen Print
 Pad Print
 Laser Etch
 Other (contact factory)

***Legend Orientation**
 P/N Left
 P/N Top
 P/N Right
 P/N Bottom

**See Legend Packet page KB4 for legend orientation specifications.*

Solid Cap for Incandescent Lamp and for Nonilluminated




Lens




Filter

Legend on Lens


AT485
Square



AT486
Round



AT4021
Rectangular



Insert Cap for Incandescent or Neon Lamp



Lens




Film Insert




Filter

Legend on Lens or Film Insert


AT487
Square




AT488
Round



AT4022
Rectangular




Spot Illuminated Cap for Bright LED with or without Resistor



Lens

Legend on Lens

AT4051
Square



Cap for Bright LED without Resistor or LED with Resistor



Lens




Film Insert




Filter

Legend on Lens or Film Insert


AT4133
AT4158
Square




AT4132
AT4160
Round




AT4134
AT4159
Rectangular



Cap for Super Bright LED



Lens




Film Insert




Diffuser

Legend on Lens or Film Insert


AT4133
Square



















AT4132
Round



AT4134
Rectangular



Orientation of Legends on Square, Round and Rectangular Switches

<p>1</p> <p>NKK Part No. Left Side</p>	 <p>Square</p>	 <p>Round</p>	 <p>Rectangular</p>	 <p>Square, Spot Illuminated</p>
<p>2</p> <p>NKK Part No. Top</p>	 <p>Square</p>	 <p>Round</p>	 <p>Rectangular</p>	 <p>Square, Spot Illuminated</p>
<p>3</p> <p>NKK Part No. Right Side</p>	 <p>Square</p>	 <p>Round</p>	 <p>Rectangular</p>	 <p>Square, Spot Illuminated</p>
<p>4</p> <p>NKK Part No. Bottom</p>	 <p>Square</p>	 <p>Round</p>	 <p>Rectangular</p>	 <p>Square, Spot Illuminated</p>

KB Series Legend Instructions

The following tables display Helvetica font styles in graduated point sizes. These tables can give you an idea at a glance which size might be most compatible for your legend. For more detailed information on each font style and individual character widths, see pages KB6 through KB9.

HELVETICA LIGHT

Actual Font and Size	EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI
Font Size in Points	6	7	8	9	10	11	12	14	16	18	20	22
Character Height	.063"	.075"	.084"	.092"	.100"	.111"	.120"	.141"	.161"	.189"	.211"	.231"

See page KB6 for the Helvetica Light Font Style table.

HELVETICA REGULAR

Actual Font and Size	EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI
Font Size in Points	6	7	8	9	10	11	12	14	16	18	20	22
Character Height	.064"	.077"	.086"	.096"	.107"	.118"	.129"	.149"	.171"	.189"	.214"	.250"

See page KB7 for the Helvetica Regular Font Style table.

HELVETICA BOLD

Actual Font and Size			EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI
Font Size in Points	6	7	8	9	10	11	12	14	16	18	20	22
Character Height	n/a	n/a	.086"	.096"	.107"	.117"	.128"	.149"	.170"	.191"	.203"	.234"

See page KB8 for the Helvetica Bold Font Style table.

HELVETICA BLACK

Actual Font and Size			EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI
Font Size in Points	6	7	8	9	10	11	12	14	16	18	20	22
Character Height	n/a	n/a	.084"	.095"	.106"	.116"	.126"	.149"	.169"	.189"	.211"	.229"

See page KB9 for the Helvetica Black Font Style table.

Note: Minimum distance between characters on any font style is critical to legibility and cannot be less than .015". Remember to include this dimension *between* each character width when calculating overall legend length.

KB Series Legend Instructions

Actual Font and Size	EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI
Font Size in Points	6	7	8	9	10	11	12	14	16	18	20	22
Character Height	.063"	.075"	.084"	.092"	.100"	.111"	.120"	.141"	.161"	.189"	.211"	.231"
Character	Character Widths in Inches											
A	.054	.062	.071	.081	.089	.098	.107	.124	.142	.160	.178	.195
B	.044	.053	.053	.068	.075	.083	.089	.104	.117	.134	.148	.163
C	.051	.062	.070	.079	.088	.088	.104	.122	.139	.156	.174	.191
D	.050	.058	.069	.074	.083	.091	.098	.116	.131	.148	.163	.181
E	.042	.049	.055	.063	.069	.076	.076	.096	.109	.123	.137	.150
F	.038	.045	.053	.059	.064	.072	.072	.091	.102	.117	.130	.142
G	.055	.063	.072	.072	.092	.099	.109	.126	.143	.162	.180	.197
H	.048	.056	.063	.072	.079	.087	.095	.110	.125	.142	.158	.174
I	.006	.008	.009	.010	.010	.011	.012	.014	.015	.018	.020	.022
J	.033	.040	.044	.050	.056	.061	.061	.077	.088	.100	.110	.122
K	.048	.056	.063	.071	.079	.088	.088	.110	.127	.145	.159	.173
L	.037	.045	.050	.057	.064	.070	.076	.089	.102	.115	.127	.140
M	.058	.065	.077	.086	.096	.104	.114	.132	.151	.171	.189	.206
N	.049	.056	.063	.073	.079	.087	.095	.110	.126	.142	.158	.174
O	.057	.065	.076	.084	.095	.103	.113	.131	.149	.169	.188	.205
P	.043	.050	.056	.064	.070	.076	.084	.097	.112	.126	.139	.152
Q	.057	.066	.076	.085	.094	.105	.113	.131	.149	.168	.186	.206
R	.047	.052	.061	.069	.075	.083	.090	.104	.118	.134	.151	.163
S	.045	.052	.059	.069	.074	.083	.087	.102	.117	.134	.147	.161
T	.045	.051	.059	.069	.073	.082	.088	.102	.116	.133	.146	.161
U	.048	.056	.063	.069	.078	.086	.094	.109	.125	.142	.155	.170
V	.049	.055	.064	.073	.079	.089	.096	.113	.129	.146	.162	.177
W	.073	.084	.096	.109	.121	.133	.145	.168	.192	.216	.241	.264
X	.048	.056	.064	.073	.082	.089	.097	.113	.129	.147	.162	.177
Y	.050	.058	.066	.074	.083	.090	.097	.115	.131	.147	.163	.181
Z	.047	.053	.062	.070	.077	.077	.092	.108	.122	.138	.153	.168
1	.022	.023	.028	.031	.036	.038	.042	.049	.055	.062	.069	.078
2	.041	.047	.053	.059	.065	.072	.078	.093	.105	.117	.131	.145
3	.041	.048	.054	.060	.067	.067	.080	.094	.107	.120	.133	.147
4	.041	.048	.054	.060	.068	.068	.082	.095	.108	.122	.134	.149
5	.040	.046	.053	.059	.067	.073	.079	.092	.105	.118	.131	.145
6	.040	.046	.054	.060	.066	.073	.081	.093	.104	.119	.132	.146
7	.038	.044	.051	.057	.063	.069	.075	.089	.101	.113	.125	.138
8	.040	.046	.052	.060	.060	.072	.078	.092	.106	.117	.131	.144
9	.040	.047	.054	.060	.066	.073	.080	.093	.106	.119	.133	.146
0	.040	.048	.054	.060	.067	.074	.080	.093	.107	.120	.133	.147
.	.005	.007	.008	.010	.010	.013	.013	.014	.017	.019	.019	.023
,	.007	.008	.009	.010	.010	.012	.014	.016	.017	.019	.021	.023
+	.042	.050	.056	.064	.069	.077	.085	.097	.110	.125	.139	.153
-	.021	.025	.029	.032	.036	.039	.043	.051	.056	.064	.071	.078
/	.023	.029	.033	.037	.042	.046	.050	.057	.065	.074	.081	.089

Note: Minimum distance between characters is critical to legibility and cannot be less than .015".

KB Series Legend Instructions

Actual Font and Size	EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI
Font Size in Points	6	7	8	9	10	11	12	14	16	18	20	22
Character Height	.064"	.077"	.086"	.096"	.107"	.118"	.129"	.149"	.171"	.189"	.214"	.250"
Character	Character Widths in Inches											
A	.054	.063	.072	.081	.089	.097	.108	.126	.142	.159	.178	.196
B	.045	.054	.061	.069	.076	.084	.091	.105	.122	.139	.151	.167
C	.053	.062	.069	.079	.088	.096	.105	.122	.139	.159	.176	.194
D	.048	.056	.065	.073	.082	.090	.097	.112	.129	.145	.161	.178
E	.044	.052	.059	.066	.074	.081	.086	.103	.116	.132	.145	.160
F	.042	.056	.056	.063	.069	.076	.082	.095	.102	.123	.136	.149
G	.056	.064	.075	.085	.094	.103	.111	.130	.147	.167	.185	.204
H	.048	.056	.063	.071	.079	.087	.094	.109	.125	.140	.157	.173
I	.009	.010	.011	.010	.014	.013	.016	.019	.020	.024	.028	.029
J	.035	.041	.047	.051	.057	.064	.070	.081	.090	.102	.115	.127
K	.049	.057	.064	.073	.081	.088	.097	.111	.127	.144	.162	.178
L	.039	.043	.051	.057	.063	.069	.076	.088	.102	.113	.127	.139
M	.059	.067	.077	.086	.096	.107	.116	.134	.155	.173	.191	.211
N	.049	.058	.064	.072	.079	.087	.096	.111	.129	.141	.160	.175
O	.059	.069	.079	.089	.097	.109	.117	.138	.156	.177	.198	.215
P	.044	.052	.058	.066	.074	.082	.089	.103	.115	.133	.148	.161
Q	.058	.069	.079	.089	.099	.108	.117	.139	.157	.177	.198	.216
R	.050	.058	.067	.075	.082	.090	.098	.113	.130	.147	.164	.181
S	.048	.056	.064	.072	.080	.088	.096	.111	.126	.142	.161	.161
T	.049	.056	.063	.071	.080	.089	.097	.111	.127	.142	.161	.176
U	.048	.056	.063	.071	.078	.087	.094	.110	.126	.139	.158	.173
V	.052	.060	.071	.077	.086	.097	.103	.120	.138	.154	.173	.189
W	.076	.089	.101	.114	.128	.138	.153	.178	.204	.227	.251	.280
X	.053	.062	.071	.080	.088	.098	.106	.122	.140	.156	.174	.193
Y	.054	.064	.073	.083	.090	.100	.109	.126	.146	.162	.181	.200
Z	.047	.054	.063	.070	.078	.086	.094	.108	.124	.139	.155	.172
1	.021	.023	.029	.031	.035	.038	.041	.046	.056	.063	.068	.076
2	.041	.047	.055	.061	.066	.074	.078	.093	.107	.119	.134	.146
3	.041	.046	.054	.060	.067	.072	.080	.094	.107	.119	.133	.146
4	.042	.048	.056	.062	.069	.076	.082	.096	.111	.122	.138	.151
5	.041	.048	.054	.061	.067	.074	.080	.093	.107	.120	.134	.148
6	.040	.046	.054	.060	.066	.072	.080	.092	.107	.119	.131	.145
7	.041	.047	.053	.060	.069	.072	.080	.093	.105	.118	.133	.145
8	.040	.046	.053	.060	.066	.073	.079	.092	.107	.119	.133	.147
9	.040	.046	.053	.059	.065	.072	.080	.092	.105	.119	.132	.145
0	.040	.045	.052	.059	.065	.071	.077	.090	.102	.116	.129	.141
.	.009	.011	.012	.014	.015	.016	.017	.020	.023	.027	.029	.031
,	.008	.011	.012	.014	.017	.017	.018	.020	.024	.026	.030	.023
+	.041	.048	.054	.061	.068	.074	.081	.095	.110	.122	.134	.149
-	.020	.023	.026	.030	.034	.037	.041	.048	.054	.061	.066	.074
/	.025	.029	.033	.039	.041	.045	.050	.056	.065	.074	.081	.089

Note: Minimum distance between characters is critical to legibility and cannot be less than .015".

KB Series Legend Instructions

Actual Font and Size			EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI
Font Size in Points	6	7	8	9	10	11	12	14	16	18	20	22
Character Height	n/a	n/a	.086"	.096"	.107"	.117"	.128"	.149"	.170"	.191"	.203"	.234"
Character	Character Widths in Inches											
A			.076	.085	.095	.105	.113	.132	.150	.170	.189	.208
B	n/a	n/a	.065	.073	.082	.089	.097	.114	.129	.146	.163	.179
C			.073	.081	.089	.098	.107	.125	.144	.162	.179	.196
D			.068	.076	.085	.093	.102	.119	.135	.151	.168	.186
E	n/a	n/a	.062	.069	.076	.084	.092	.107	.122	.137	.152	.168
F			.057	.065	.072	.079	.086	.101	.115	.129	.143	.157
G			.075	.084	.094	.103	.112	.130	.149	.168	.186	.205
H	n/a	n/a	.065	.075	.083	.090	.099	.116	.131	.148	.164	.181
I			.017	.019	.022	.023	.026	.030	.034	.038	.043	.047
J			.052	.059	.065	.071	.077	.091	.103	.116	.129	.142
K	n/a	n/a	.073	.082	.090	.099	.109	.126	.143	.162	.180	.198
L			.056	.063	.070	.076	.084	.098	.111	.126	.140	.154
M			.080	.089	.100	.109	.120	.140	.159	.179	.199	.219
N	n/a	n/a	.067	.075	.083	.091	.100	.116	.132	.148	.166	.182
O			.079	.088	.097	.107	.118	.137	.156	.176	.195	.215
P			.063	.070	.078	.086	.095	.109	.124	.140	.155	.171
Q	n/a	n/a	.077	.088	.098	.108	.118	.137	.157	.175	.195	.216
R			.067	.076	.083	.092	.100	.116	.133	.149	.167	.184
S			.068	.076	.084	.092	.102	.118	.135	.151	.168	.185
T	n/a	n/a	.065	.074	.082	.089	.098	.115	.131	.147	.163	.180
U			.065	.073	.082	.089	.098	.114	.129	.145	.162	.177
V			.069	.078	.087	.096	.104	.122	.140	.157	.175	.191
W	n/a	n/a	.102	.116	.129	.142	.155	.180	.206	.230	.256	.281
X			.070	.081	.089	.098	.106	.122	.140	.159	.176	.193
Y			.069	.078	.087	.096	.105	.122	.139	.156	.175	.191
Z	n/a	n/a	.062	.069	.077	.084	.092	.108	.122	.138	.153	.168
1			.035	.039	.043	.049	.053	.060	.069	.078	.086	.096
2			.054	.061	.067	.074	.082	.094	.107	.122	.135	.148
3	n/a	n/a	.055	.062	.069	.076	.082	.095	.109	.122	.136	.149
4			.056	.063	.069	.077	.083	.098	.112	.125	.140	.153
5			.056	.062	.069	.076	.083	.096	.109	.122	.136	.151
6	n/a	n/a	.055	.063	.069	.076	.082	.096	.109	.122	.138	.149
7			.056	.063	.070	.077	.084	.098	.112	.119	.140	.154
8			.056	.063	.069	.078	.085	.099	.112	.127	.140	.154
9	n/a	n/a	.055	.061	.069	.076	.083	.096	.109	.122	.135	.149
0			.055	.062	.069	.076	.081	.096	.109	.122	.137	.150
.			.017	.019	.021	.023	.026	.030	.033	.038	.043	.047
,	n/a	n/a	.017	.020	.022	.023	.026	.030	.034	.038	.043	.047
+			.054	.061	.068	.075	.081	.096	.108	.122	.135	.148
-			.031	.034	.038	.042	.046	.054	.061	.069	.078	.084
/	n/a	n/a	.030	.035	.038	.043	.046	.054	.062	.069	.076	.084

Note: Minimum distance between characters is critical to legibility and cannot be less than .015".

KB Series Legend Instructions



Actual Font and Size			EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI	EWI
Font Size in Points	6	7	8	9	10	11	12	14	16	18	20	22
Character Height	n/a	n/a	.084"	.095"	.106"	.116"	.126"	.149"	.169"	.189"	.211"	.229"
Character	Character Widths in Inches											
A			.085	.096	.106	.116	.127	.148	.170	.186	.211	.233
B	n/a	n/a	.075	.084	.093	.102	.111	.129	.147	.167	.184	.203
C			.082	.091	.102	.112	.122	.142	.162	.182	.203	.222
D			.078	.088	.097	.107	.115	.136	.155	.174	.193	.214
E	n/a	n/a	.068	.076	.084	.093	.101	.117	.134	.151	.168	.184
F			.063	.071	.079	.087	.094	.110	.125	.141	.157	.173
G			.082	.092	.102	.112	.122	.141	.162	.183	.203	.223
H	n/a	n/a	.078	.088	.097	.108	.117	.136	.155	.175	.194	.212
I			.027	.030	.034	.037	.040	.047	.053	.060	.067	.072
J			.065	.072	.081	.088	.096	.112	.127	.142	.159	.175
K	n/a	n/a	.084	.095	.104	.116	.125	.147	.167	.188	.210	.230
L			.063	.071	.079	.087	.094	.110	.125	.141	.157	.171
M			.092	.103	.115	.126	.139	.161	.184	.208	.230	.251
N	n/a	n/a	.078	.087	.097	.108	.116	.136	.155	.175	.194	.214
O			.085	.095	.106	.116	.126	.148	.168	.190	.211	.231
P			.074	.083	.092	.101	.109	.128	.146	.165	.183	.200
Q	n/a	n/a	.085	.095	.106	.116	.126	.147	.168	.189	.211	.230
R			.076	.087	.096	.105	.115	.135	.153	.172	.192	.212
S			.074	.083	.092	.101	.109	.129	.147	.165	.182	.201
T	n/a	n/a	.074	.084	.093	.102	.110	.129	.147	.166	.185	.203
U			.078	.088	.097	.108	.116	.135	.155	.175	.194	.211
V			.083	.093	.102	.112	.123	.142	.164	.184	.205	.226
W	n/a	n/a	.111	.124	.138	.152	.167	.194	.221	.250	.275	.303
X			.086	.097	.106	.117	.128	.149	.171	.190	.213	.234
Y			.086	.098	.109	.119	.129	.150	.172	.194	.215	.237
Z	n/a	n/a	.073	.082	.090	.100	.109	.127	.145	.163	.181	.199
1			.042	.047	.052	.058	.063	.073	.083	.094	.104	.113
2			.068	.076	.083	.091	.100	.117	.132	.149	.167	.183
3	n/a	n/a	.069	.076	.083	.092	.101	.117	.133	.150	.167	.184
4			.069	.076	.086	.094	.102	.120	.136	.154	.170	.188
5			.069	.076	.085	.094	.102	.120	.136	.153	.170	.186
6	n/a	n/a	.069	.077	.086	.095	.103	.121	.137	.154	.171	.189
7			.064	.072	.080	.088	.096	.111	.127	.142	.158	.175
8			.069	.077	.085	.094	.102	.120	.135	.154	.170	.186
9	n/a	n/a	.069	.077	.085	.096	.102	.121	.136	.155	.170	.189
0			.069	.076	.085	.095	.103	.119	.136	.154	.171	.189
.			.023	.027	.030	.033	.036	.042	.048	.053	.060	.066
,	n/a	n/a	.023	.027	.030	.033	.037	.042	.048	.054	.060	.066
+			.056	.063	.071	.077	.084	.098	.114	.127	.141	.155
-			.030	.034	.037	.042	.045	.053	.061	.068	.076	.083
/	n/a	n/a	.039	.043	.049	.052	.058	.068	.077	.086	.096	.104

Note: Minimum distance between characters is critical to legibility and cannot be less than .015".

Note: All gray areas represent printable surfaces.



Square Cap Lens

1 line maximum height .397"
2 lines maximum height .184"
Maximum width .397"





Square Film Insert

1 line maximum height .334"
2 lines maximum height .152"
Maximum width .334"





Round Cap Lens

Note maximum space available for 1 or 2 line legends. These dimensions must be considered when choosing font style and size for round cap lens.*



Round Film Insert



Note maximum space available for 1 or 2 line legends. These dimensions must be considered when choosing font style and size for round film insert.*



*Factory assistance available



Rectangular Cap Lens

1 line maximum height .397"
2 lines maximum height .184"
Maximum width .574"





Rectangular Film Insert

1 line maximum height .334"
2 lines maximum height .152"
Maximum width .511"



Square Spot Illuminated Cap

1 line maximum height .251"
2 lines maximum height .111"
Maximum width .397"



Note maximum space available for 1 or 2 line legends. These dimensions must be considered when choosing font style and size for round printable area of cap lens or film insert.